

➤ The absolutely best watchmaker **SCREWDRIVERS** ! Knurled **STAINLESS STEEL** handle, hexagonal swivel large diameter head mounted on ball bearings and interchangeable hardened-blue steel blade.



ASSORTMENT

MSA	Blades ø mm	Kg
01.205	0.50 - 0.60 - 0.70 - 0.80 - 1.00 1.20 - 1.40 - 1.50 - 1.60 - 2.00 2.50 - 3.00	0.890

Set of 12 **watchmaker** screwdrivers with knurled **stainless steel** handle MSA 01.201-xxx, on aluminium solid stand with colour coded holes for fast ø identification and non-skid base.

Delivered with 21 replacement hardened blue steel blades stored in the central compartment of the stand protected by the red cover.



ASSORTMENT

MSA	Blades ø mm	Kg
01.201-C	0.50 - 0.60 - 0.70 - 0.80 - 1.00 1.20 - 1.40 - 1.50 - 1.60 - 2.00 2.50 - 3.00	1.006

Set of 12 **watchmaker** screwdrivers with knurled **stainless steel** handle MSA 01.201-xxx on aluminium solid stand, turning on non-skid base.

Delivered with 21 replacement hardened-blue steel blades stored in the centre compartment of the stand.



ASSORTMENT

MSA	Blades ø mm	Kg
01.201-D	0.60 - 0.80 - 1.00 - 1.20 1.40 - 2.00	0.276

Set of 6 **watchmaker** screwdrivers with knurled **stainless steel** handle MSA 01.201-xxx on sturdy aluminium stand with 2 steel pillars and 6 colour identified heads for quick selection.

Delivered with 6 replacement hardened-bleu steel blades.



ASSORTMENT



MSA	Blades ø mm	Kg
01.201-A	0.60 - 0.80 - 1.00 - 1.20 1.40 - 1.60 - 2.00 - 2.50 - 3.00	0.210

Set of 9 **watchmaker** screwdrivers with knurled **stainless steel** handle MSA 01.201-xxx.

Delivered in a wooden case with 9 replacement hardened-bleu steel blades and 2 fixing screws.



**Watchmaker** screwdriver. Knurled **stainless steel** handle, hexagonal swivel large diameter head mounted on ball bearings and interchangeable hardened-blue steel blade.

Delivered individually with screwed blade.

MSA	ø mm	Head	Kg
01.201-050	0.50	Orange	0.020
01.201-060	0.60	Aluminium	"
01.201-070	0.70	Pastel yellow	"
01.201-080	0.80	Yellow	"
01.201-090	0.90	Pink	"
01.201-100	1.00	Black	"
01.201-110	1.10	Turquoise	"
01.201-120	1.20	Red	"
01.201-130	1.30	Light green	"
01.201-140	1.40	Dark grey	"
01.201-150	1.50	Salmon	"
01.201-160	1.60	Violet	"
01.201-180	1.80	Light grey	"
01.201-200	2.00	Dark green	"
01.201-250	2.50	Blue	"
01.201-300	3.00	Brown	"
01.201-350	3.50	Pastel green	"

➤ Other ø available upon request and according to quantities.



Interchangeable hardened-blue steel blade for **watchmaker** screwdriver with knurled **stainless steel** handle MSA 01.201-xxx.

MSA	ø mm	Kg	MSA	ø mm	Kg
01.202-050	0.50	0.001	01.202-140	1.40	0.001
01.202-060	0.60	"	01.202-150	1.50	"
01.202-070	0.70	"	01.202-160	1.60	"
01.202-080	0.80	"	01.202-180	1.80	"
01.202-090	0.90	"	01.202-200	2.00	"
01.202-100	1.00	"	01.202-250	2.50	"
01.202-110	1.10	"	01.202-300	3.00	"
01.202-120	1.20	"	01.202-350	3.50	"
01.202-130	1.30	"			

➤ Other ø and shapes available upon request and according to quantities.



MSA	Modèles	ø mm	Utilisation
01.201-T430	Small	4.30	For screwdrivers from ø 0.50 to 1.50 mm
01.201-T480	Medium	4.80	For screwdrivers from ø 1.60 to 2.00 mm
01.201-T530	Large	5.30	For screwdrivers from ø 2.50 to 3.50 mm

**Aluminium** enlargement ring for **watchmaker** screwdriver with knurled stainless steel handle MSA 01.201-xxx, allowing better grip for screwing and unscrewing.



MSA	Kg
01.201-V	0.001

Screws for **watchmaker** screwdriver with knurled stainless steel handle MSA 01.201-xxx.

» **Watchmaker SCREWDRIVERS** with knurled **STAINLESS STEEL** handle delivered in 1 plastic pouch with 1 tube containing 3 replacement blades.



MSA	ø mm	Head	Kg
01.203-050	0.50	Orange	0.020
01.203-060	0.60	Aluminium	"
01.203-070	0.70	Pastel yellow	"
01.203-080	0.80	Yellow	"
01.203-090	0.90	Pink	"
01.203-100	1.00	Black	"
01.203-110	1.10	Turquoise	"
01.203-120	1.20	Red	"
01.203-130	1.30	Light green	"
01.203-140	1.40	Dark grey	"
01.203-150	1.50	Salmon	"
01.203-160	1.60	Violet	"
01.203-180	1.80	Light grey	"
01.203-200	2.00	Dark green	"
01.203-250	2.50	Blue	"
01.203-300	3.00	Brown	"
01.203-350	3.50	Pastel green	"

**Watchmaker** screwdriver with knurled **stainless steel** handle MSA 01.201-xxx.

Delivered in 1 plastic pouch with 1 tube containing 3 hardened-blue steel blades.

» Other ø available upon request and according to quantities.



MSA	ø mm	Kg	MSA	ø mm	Kg
01.204-050	0.50	0.002	01.204-140	1.40	0.002
01.204-060	0.60	"	01.204-150	1.50	"
01.204-070	0.70	"	01.204-160	1.60	"
01.204-080	0.80	"	01.204-180	1.80	"
01.204-090	0.90	"	01.204-200	2.00	"
01.204-100	1.00	"	01.204-250	2.50	"
01.204-110	1.10	"	01.204-300	3.00	"
01.204-120	1.20	"	01.204-350	3.50	"
01.204-130	1.30	"			

Plastic tube containing 3 hardened-blue steel blades for **watchmaker** screwdriver with knurled stainless steel handle MSA 01.201-xxx.

» Other ø and shapes available upon request and according to quantities.

## SCREWDRIVERS AND BLADES | TOOLS FOR SHARPENING AND...

» Different assortments of watchmaker **SCREWDRIVERS** with knurled **STAINLESS STEEL** handles from MSA 01.201-060 to 01.201-250.



ASSORTMENT

MSA	Blades ø mm	Kg
01.006	0.60 - 0.80 - 1.00 - 1.20	0.045

Assortment of 4 **watchmaker** screwdrivers with knurled **stainless steel** handles MSA 01.201-xxx.  
Delivered in 1 plastic pouch.



ASSORTMENT

MSA	Blades ø mm	Kg
01.016	0.60 - 0.80 - 1.00 - 1.20 1.60 - 2.50	0.045

Assortment of 6 **watchmaker** screwdrivers with knurled **stainless steel** handles MSA 01.201-xxx.  
Delivered in 1 plastic pouch.



ASSORTMENT

MSA	Blades ø mm	Kg
01.201-B	0.60 - 0.80 - 1.00 - 1.20 - 1.40	0.050

Assortment of 5 **watchmaker** screwdrivers with knurled **stainless steel** handles MSA 01.201-xxx.  
Delivered in 1 plastic pouch.



ASSORTMENT

MSA	Blades ø mm	Kg
01.201-F	1.00 - 1.20 - 1.40 - 1.60 - 2.00	0.055

Assortment of 5 **watchmaker** screwdrivers with knurled **stainless steel** handles MSA 01.201-xxx.  
Delivered in 1 plastic pouch.

## SCREWDRIVERS AND BLADES | TOOLS FOR SHARPENING AND...



ASSORTMENT



MSA	Blades ø mm	Kg
01.207	0.60 - 0.80 - 1.00 - 1.20 1.40 - 1.60 - 1.80 - 2.00 - 2.50 - 3.00	0.210

Set of 10 **watchmaker** screwdrivers with knurled **stainless steel** handle MSA 01.207-xxx, ball-bearing heads, with "T" shape hardened blue steel blades.  
Delivered in a plastic box with 1 spare blade of each ø (total 10 spare blades).



» Other ø available upon request and according to quantities.

MSA	ø mm	Head	Kg
01.207-060	0.60	Aluminium	0.020
01.207-070	0.70	Pastel yellow	"
01.207-080	0.80	Yellow	"
01.207-100	1.00	Black	"
01.207-120	1.20	Red	"
01.207-140	1.40	Dark grey	"
01.207-150	1.50	Salmon	"
01.207-160	1.60	Violet	"
01.207-180	1.80	Light grey	"
01.207-200	2.00	Dark green	"
01.207-250	2.50	Blue	"
01.207-300	3.00	Brown	"

**Watchmaker** screwdrivers with knurled **stainless steel** handle, hexagonal head mounted on ball-bearing and interchangeable "T" shape hardened blue steel blades.  
Delivered individually under this reference with the blade mounted.



» Other ø and shapes available upon request and according to quantities.

MSA	ø mm	Kg	MSA	ø mm	Kg
01.202-T060	0.60	0.001	01.202-T150	1.50	"
01.202-T070	0.70	"	01.202-T160	1.60	0.001
01.202-T080	0.80	"	01.202-T180	1.80	"
01.202-T100	1.00	"	01.202-T200	2.00	"
01.202-T120	1.20	"	01.202-T250	2.50	"
01.202-T140	1.40	"	01.202-T300	3.00	"

"T" shape **hardened blue steel** blade only for screwdriver MSA 01.207.

» **CLASSIC** precision screwdrivers. Knurled handle in chromed brass; colour coated head indicating the diameter of the blade.

ASSORTMENT



MSA	Blades ø mm	Kg
01.100	0.60 - 0.80 - 1.00 - 1.20 - 1.40 1.60 - 2.00 - 2.50 - 3.00	0.342

Assortment of 9 **classic** precision screwdrivers MSA 01.101xxx on a chromed black swivel stand.  
Delivered with 19 replacement hardened-blue steel blades and 2 fixing screws in the centre compartment of the stand.

ASSORTMENT



MSA	Blades ø mm	Kg
01.300	0.60 - 0.80 - 1.00 - 1.20 - 1.40 1.60 - 2.00 - 2.50 - 3.00	0.258

Assortment of 9 **classic** precision screwdrivers MSA 01.101xxx.  
Delivered in a wooden box with 19 replacement hardened-blue steel blades and 2 fixing screws in a plastic tube.

MSA	ø mm	Ring	Kg
01.101-050	0.50	Dark green	0.010
01.101-060	0.60	Pink	"
01.101-080	0.80	Yellow	"
01.101-100	1.00	Black	0.015
01.101-120	1.20	Red	"
01.101-140	1.40	Grey	"
01.101-160	1.60	Violet	0.020
01.101-180	1.80	Orange	"
01.101-200	2.00	Light green	"
01.101-250	2.50	Blue	0.028
01.101-300	3.00	Brown	0.030

**Classic** precision screwdriver MSA 01.101-xxx with knurled handle in chromed brass.  
Delivered individually with screwed blade.



MSA	ø mm	Ring	Kg
01.099-050	0.50	Dark green	0.012
01.099-060	0.60	Pink	"
01.099-080	0.80	Yellow	"
01.099-100	1.00	Black	0.017
01.099-120	1.20	Red	"
01.099-140	1.40	Grey	"
01.099-160	1.60	Violet	0.022
01.099-180	1.80	Orange	"
01.099-200	2.00	Light green	"
01.099-250	2.50	Blue	0.030
01.099-300	3.00	Brown	0.032

**Classic** precision screwdriver MSA 01.101-xxx with knurled handle in chromed brass.  
Delivered in 1 plastic pouch with 1 tube containing 3 hardened-blue steel blades.

MSA	ø mm	Kg	MSA	ø mm	Kg
01.202-050	0.50	0.001	01.102-160	1.60	0.001
01.102-060	0.60	"	01.102-180	1.80	"
01.102-080	0.80	"	01.102-200	2.00	"
01.102-100	1.00	"	01.102-250	2.50	"
01.102-120	1.20	"	01.102-300	3.00	"
01.102-140	1.40	"			

Interchangeable hardened-blue steel blade for **classic** precision screwdrivers MSA 01.101-xxx.



MSA	ø mm	Kg	MSA	ø mm	Kg
01.204-050	0.50	0.002	01.103-160	1.60	0.002
01.103-060	0.60	"	01.103-180	1.80	"
01.103-080	0.80	"	01.103-200	2.00	"
01.103-100	1.00	"	01.103-250	2.50	"
01.103-120	1.20	"	01.103-300	3.00	"
01.103-140	1.40	"			

Plastic tube containing 3 hardened-blue steel blades for **classic** precision screwdriver MSA 01.101-xxx.



MSA	Kg
01.101-V	0.001

Screws for **classic** precision screwdrivers MSA 01.101-xxx.





## SCREWDRIVERS AND BLADES | TOOLS FOR SHARPENING AND...

» Different assortments of **CLASSIC** precision screwdrivers from MSA 01.101-060 to 01.101-300.

### ASSORTMENT



MSA	Blades ø mm	Kg
01.003	0.60 - 0.80 - 1.00 - 1.20	0.049

Assortment of 4 **classic** precision screwdrivers MSA 01.101-xxx.

Delivered in 1 plastic pouch.

### ASSORTMENT



MSA	Blades ø mm	Kg
01.013	0.60 - 0.80 - 1.00 - 1.20 2.00 - 3.00	0.091

Assortment of 6 **classic** precision screwdrivers MSA 01.101-xxx

Delivered in 1 plastic pouch.

### ASSORTMENT



MSA	Contents	Blades ø mm	Kg
01.095	5 single screwdrivers	0.60 - 0.80 - 1.00 1.20 - 1.40	0.057

Assortment of 5 **classic** precision screwdrivers MSA 01.101-xxx.

Delivered in 1 plastic pouch.

### ASSORTMENT



MSA	Contents	Blades ø mm	Kg
01.095-Z	5 screwdrivers and 5 replacement blades	0.60 - 0.80 - 1.00 1.20 - 1.40	0.060

Assortment of 5 **classic** precision screwdrivers MSA 01.101-xxx and 5 interchangeable blades.

Delivered in 1 plastic pouch.

## SCREWDRIVERS AND BLADES | TOOLS FOR SHARPENING AND...

» Precision **ANTIMAGNETIC** screwdriver. Knurled handle in chromed brass, anodised aluminium black head assorted with a coloured ring to indicate the blade diameter. The interchangeable blades made of copper-beryllium alloy (CuBe) are 100% antimagnetic.

### ANTIMAGNETIC

### ASSORTMENT



MSA	Blades ø mm	Kg
01.104	0.60 - 0.80 - 1.00 - 1.20 1.40 - 1.60 - 2.00 - 2.50 - 3.00	0.340

Assortment of 9 precision **antimagnetic** screwdrivers MSA 01.105-xxx on black chromed swivel stand.

Delivered with 19 replaceable blades made of copper-beryllium alloy and 2 fixing screws placed in the centre compartment of the stand.

### ANTIMAGNETIC



MSA	ø mm	Ring	Kg
01.105-050	0.50	Dark green	0.010
01.105-060	0.60	Pink	"
01.105-080	0.80	Yellow	"
01.105-100	1.00	Black	0.015
01.105-120	1.20	Red	"
01.105-140	1.40	Grey	"
01.105-160	1.60	Violet	0.020
01.105-200	2.00	Light green	"
01.105-250	2.50	Blue	0.028
01.105-300	3.00	Brown	0.030

Precision **antimagnetic** screwdrivers. Knurled handle in chromed brass.

Delivered individually with screwed blade made of copper-beryllium alloy.

### ANTIMAGNETIC



MSA	ø mm	Kg	MSA	ø mm	Kg
01.106-050	0.50	0.001	01.106-140	1.40	0.001
01.106-060	0.60	"	01.106-160	1.60	"
01.106-080	0.80	"	01.106-200	2.00	"
01.106-100	1.00	"	01.106-250	2.50	"
01.106-120	1.20	"	01.106-300	3.00	"

Interchangeable **antimagnetic** blade made of copper-beryllium alloy (CuBe) for precision screwdriver MSA 01.105-xxx.

MSA	Kg
01.101-V	0.001

Screws for precision **antimagnetic** screwdriver MSA 01.105-xxx.

» Different assortments of **ANTIMAGNETIC** precision screwdrivers from MSA 01.105-060 to 01.105-300.

**ANTIMAGNETIC**  
**ASSORTMENT**



MSA	Blades ø mm	Kg
01.004	0.60 - 0.80 - 1.00 - 1.20	0.051

Assortment of 4 **antimagnetic** precision screwdrivers MSA 01.105-xxx.  
Delivered in 1 plastic pouch.

**ANTIMAGNETIC**  
**ASSORTMENT**



MSA	Blades ø mm	Kg
01.014	0.60 - 0.80 - 1.00 - 1.20 2.00 - 3.00	0.090

Assortment of 4 **antimagnetic** precision screwdrivers MSA 01.105-xxx  
Delivered in 1 plastic pouch with 1 tube containing 6 **antimagnetic** replacement blades.

» Screwdriver with hardened steel **FIXED BLADE**. Grooved handle in white metal and round head. Swiss made.



MSA	ø mm	Kg	MSA	ø mm	Kg
01.001-060	0.60	0.004	01.001-120	1.20	0.005
01.001-070	0.70	"	01.001-150	1.50	0.007
01.001-080	0.80	"	01.001-180	1.80	"
01.001-100	1.00	0.005			

Screwdriver with **fixed blade**. Grooved handle in white metal and round head.

» Different assortments of screwdrivers with **FIXED BLADE** from MSA 01.001-060 to 01.001-200.

**ASSORTMENT**



MSA	Blades ø mm	Kg
01.001-A	0.60 - 0.80 - 1.00 - 1.20 - 1.50	0.034

Assortment of 5 screwdrivers with **fixed blade** MSA 01.001-xxx  
Delivered in 1 plastic pouch.

**ASSORTMENT**



MSA	Blades ø mm	Kg
01.001-B	0.60 - 0.80 - 1.00 - 1.20	0.028

Assortment of 4 screwdrivers with **fixed blade** MSA 01.001-xxx  
Delivered in 1 plastic pouch.

## SCREWDRIVERS AND BLADES | TOOLS FOR SHARPENING AND...

» **SPECIAL** screwdriver with fixed key of varied shapes. Knurled handle in chromed brass ; coloured identified heads indicating the diameter or the width of the key. The hole in the upper part of the handle allows the tool to be suspended or the insertion of a tightening stem. The fabrication and the heat-treatment of the keys are particularly neat to assure a good resistance.



MSA	Interior width mm	Length mm	Ring	Kg
01.107-A	3.00	107	Grey	0.026
01.107-B	3.50	"	Violet	"
01.107-C	4.00	"	Green	"
01.107-D	4.50	"	Blue	"
01.107-E	5.00	"	Brown	"

**Special** screwdriver with fixed female key for hexagonal nuts. Knurled handle in chromed brass.



ASSORTMENT

MSA	Interior width mm	Kg
01.107-05	3.00 - 3.50 - 4.00 - 4.50 - 5.00	0.125

Assortment of 5 **special** screwdrivers with fixed female key for hexagonal nuts. Delivered in 1 plastic pouch.



MSA	Exterior width mm	Length mm	Ring	Kg
01.108-1.5	1.50	107	Violet	0.025
01.108-2	2.00	"	Green	"
01.108-2.5	2.50	"	Blue	"
01.108-3	3.00	"	Brown	"

**Special** screwdriver with fixed male ALLEN type key for hexagonal hollow nuts. Knurled handle in chromed brass.



ASSORTMENT

MSA	Exterior width mm	Kg
01.008	1.50 - 2.00 - 2.50 - 3.00	0.085

Assortment of 4 **special** screwdrivers with fixed male ALLEN type key for hexagonal hollow nuts. Delivered in 1 plastic pouch.

## SCREWDRIVERS AND BLADES | TOOLS FOR SHARPENING AND...



MSA	ø mm	Ring	Kg
01.400-1.2	1.20	Grey	0.025
01.400-1.5	1.50	Violet	"
01.400-2.0	2.00	Green	"
01.400-2.5	2.50	Blue	"
01.400-3.0	3.00	Brown	"

**Special** screwdriver with fixed cruciform PHILLIPS type blade. Knurled handle in chromed brass.



ASSORTMENT



MSA	Blades ø mm	Kg
01.400-A	1.50 - 2.00 - 2.50 - 3.00	0.093

Assortment of 4 **special** screwdrivers with fixed cruciform PHILLIPS type blade. Delivered in 1 plastic pouch.



ASSORTMENT



MSA	Blades ø mm	Kg
01.400-B	1.20 - 1.50 - 2.00 - 2.50 - 3.00	0.115

Assortment of 5 **special** screwdrivers with fixed cruciform PHILLIPS type blade. Delivered in 1 plastic pouch.

- » Practical screwdriver with **REVERSIBLE BLADE**. This system allows the user to easily reverse the blade using a threaded ferrule to replace it. Grooved handle in chromed brass, coloured head and interchangeable special steel blade ground at both ends.



MSA	ø mm	Head	Kg
01.221-050	0.50	Violet	0.012
01.221-060	0.60	Blue	"
01.221-070	0.70	Grey	"
01.221-080	0.80	Red	"
01.221-100	1.00	Brown	"
01.221-120	1.20	Green	"
01.221-130	1.30	Black	"
01.221-150	1.50	Orange	"

Screwdriver **with reversible blade**. Grooved handle in chromed brass, coloured head and interchangeable reversible special steel blade cut at both ends. Delivered individually with assembled blade. Length approximately 80 mm.



MSA	ø mm	Kg
01.222-050	0.50	0.001
01.222-060	0.60	"
01.222-070	0.70	"
01.222-080	0.80	"
01.222-100	1.00	"
01.222-120	1.20	"
01.222-130	1.30	"
01.222-150	1.50	"

Interchangeable reversible special steel blade cut at both ends for screwdriver **with reversible blade** MSA 01.221-xxx.

- » Different assortments of screwdrivers with **REVERSIBLE BLADE** from MSA 01.221-050 to 01.221-150.

## ASSORTMENT



MSA	Blades ø mm	Kg
01.005	0.60 - 0.80 - 1.00 - 1.20	0.046

Assortment of 4 screwdrivers **with reversible blade** MSA 01.221-xxx. Delivered in 1 plastic pouch.

## ASSORTMENT



MSA	Blades ø mm	Kg
01.015	0.50 - 0.60 - 0.80 - 1.00 - 1.20 - 1.50	0.058

Assortment of 6 screwdrivers **with reversible blade** MSA 01.221-xxx. Delivered in 1 plastic pouch.

## ASSORTMENT



MSA	Blades ø mm	Kg
01.225	0.60 - 0.80 - 1.00 - 1.20 - 1.50	0.050

Assortment of 5 screwdrivers **with reversible blade** MSA 01.221-xxx. Delivered in 1 plastic pouch.



## SCREWDRIVERS AND BLADES | TOOLS FOR SHARPENING AND...

## TOOLS FOR SHARPENING AND SHAPING BLADES

» Special screwdriver **FOR GLASSES** with interchangeable blades and shapes especially adaptable for opticians. Knurled aluminium handle and hardened-blue steel blades.



MSA	Kg
01.401	0.047

Special screwdriver **for glasses**. Large knurled hollow aluminium handle, threaded ferrule in chromed brass for a quick changing of the interchangeable blades. Delivered with 4 hardened-blue steel blades of different diameters.

### Replacement blades (body ø 2.50 mm) :

MSA	ø mm	
01.401-160	1.60	
01.401-180	1.80	
01.401-200	2.00	
01.401-250	2.50	

MSA	Size mm	Kg
01.402	135 x 112 x 22	0.222

Special screwdriver **for glasses**. Knurled aluminium handle, black lightweight head to limit the tool weight and to make it more manageable. Fixing system of the interchangeable blades by metallic clips. Delivered in 1 wooden box with 16 hardened-blue steel blades of different shapes and diameters.

### Replacement parts (blade body ø 3.00 mm) :

MSA	ø mm	Kg	Items	
01.402-A	1.50	0.002	Cruciform Phillips blade	
01.402-B	1.80	"		
01.402-C	2.00	"		
01.402-D	2.50	"		
01.402-E	1.50	"	Flat blade	
01.402-F	1.80	"		
01.402-G	2.00	"		
01.402-H	2.50	"		
01.402-J	3.00	"	Hollow blade	
01.402-K	3.00	"	Bur for rounding	
01.402-L	1.10	"	Nut extractor	
01.402-M	2.20	"	Hexagonal key	
01.402-N	2.50	"		
01.402-P	2.40	"	Square key	
01.402-R	2.20	"	Nut-star with 4 arms	
01.402-S	2.50	"	Nut-star with 6 arms	
01.402-T	-	0.020	Handle alone (L. 94 mm)	


### ASSORTMENT



MSA	Length mm	Kg
01.051	60	0.008

Key-ring screwdriver **for glasses**. Grooved nickel-plated brass body in 2 screwed parts. Blade ø 1.60 mm in hardened steel and nickel-plated steel ring.

» Tool for forming the screwdriver blades in "T" shape. The utilisation of this tool avoids screw scratching by the operator. To obtain the desired shape, adjust the gap between the 2 round stones according to blade diameter. Mainly used by watchmakers who repair high range of watches with blue or gold screws.



MSA	Size mm	Kg
01.502	130 X 50 X 45	0.370

Delivered with 3 stones (1 square and 2 round), 5 screwdriver holders (screwdriver not included) and 1 user manual.

### Replacement parts :

MSA	Items	Kg
01.502-A	Single round stone	0.020
01.502-B	Single square stone	0.016
01.502-U	Screwdriver holder ø 0.70 - 2.00 mm	0.019
01.502-050	Screwdriver holder ø 0.50 mm	0.020
01.502-060	Screwdriver holder ø 0.60 mm	"
01.502-250	Screwdriver holder ø 2.50 mm	0.017
01.502-300	Screwdriver holder ø 3.00 mm	"
01.502-V	Assortment of 5 screws	0.002

MSA	Size mm	Kg
01.500	40 x ø 14	0.024

Tool for **sharpening** screwdriver blades. To use preferably with 1 Arkansas stone having a minimum width of 40 mm (see pages 16 2, 16 3 and 16 4 for Arkansas or India stones).

No screwdriver or stones included.

