ISASWISS

WATCH MECHANISMS

PRODUCT CATALOGUE

SWISS MADE & FAR EAST ASSEMBLY

Product Line

SWISS MADE FAR EAST ASSEMBLY

ISASPECIALITY - CHRONOGRAPH

Slim Chronographs









Moon Phase Chronograph



Day Date Chronograph



Alarm Chronograph



Professional Chronographs







P.1 - 3

ISASOLAR

Solar Chronograph



Solar 3 Hands with Date



P.4

ISASPECIALITY - MULTIFUNCTION

24 Hours Center GMT (2nd Time Zone) & Power Reserve

















With Pushers













No Pusher















With Pushers













No Pusher















P.5 - 8

Optional Hand Height Available | Long Stem Available | Alarm | Solar

ISASPECIALITY - MULTIFUNCTION

Date Window with Pushers



Date Window No Pusher



Date Window



Sun & Moon



P.9 - P.11

ISADIGIT

Compass



World Time



Trekking



Chronograph



P.12

ISASPORT

Yacht Timer



Football Timer



Tide indicator



P.13 - P.14

ISATRONIC - SLIM

2 Hands No Crown

2 Hands



2 Hands with Date



3 Hands with Date



P.15

ISAQUARTZ - BASIC

2 Hands No Crown

Small Second



3 Hands



3 Hands with Date



3 Hands with Day Date

P.16

ISASPECIALITY

SWISS MADE FAR EAST ASSEMBLY

TACHYMETER CENTER CHRONO

11½‴

Specifications:
Ø25.60mm
Metal Construction
57 Months Battery Life

Features:
- Center Chronograph Hand Stop-1/5 Second
- Split Time
- Power-saving Mechanism
- End of Life Indication

Cal. 8171C

Cal. 8171A
(Old Ref.: 8171/203)

Slim

Height 3.70mm, 3 Jewels

6H: Date by Window
10H: 30 Mins. Chrono

Cal 8171B
(Old Ref.: 8171/201)

Slim

Height 3.70mm, 3 Jewels

2H: Small Second
6H: Date by Window
10H: 30 Mins. Chrono

Cal. 8171C
(Old Ref.: 8171/202)

Slim

Height 3.70mm, 3 Jewels

2H: Small Second
4H: Date by Window
6H: Date by Hand
10H: 30 Mins. Chrono

Cal. 8171E

Slim



Height 3.70mm, 3 Jewels

2H: Small Second
6H: Date by Hand
10H: 30 Mins. Chrono

Cal. 8171D

Cal. 8171D

(Old Ref.: 8171/204)

Moon Phase

Height 3.70mm, 3 Jewels

2H: Small Second
4H: Date by Window
6H: Moon Phases
10H: 30 Mins. Chrono

Cal. 8172A

Cal. 8172A

(Old Ref.: 8172/220)

Day Date

Height 4.20mm, 3 Jewels

2H: Small Second
4H: Date by Window
6H: Day by Hand
10H: 30 Mins. Chrono

Cal. 8174A

Cal. 8174A

(Old Ref.: 8174/220)

Alarm



Height 4.60mm, 9 Jewels

2H: Small Second
4H: Date by Window
6H: Day by Hand
10H: 30 Mins. Chrono
Alarm: Center Hand 12 Hours Alarm

PROFESSIONAL TACHYMETER CENTER CHRONO

13¼'''

Specifications:
Ø30.60mm
64 Months Battery Life

Features:
- Eye Distance from Center as Far as 8.5mm
- Center Chronograph Hand Stop-1/5 Second
- Split Time
- Pushers with Click Feeling
- End of Life Indication

Cal. 8371D

Cal. 8371B
(Old Ref.: 8371/2010)
Chronograph



Height 5.50mm

3H: Small Second
6H: Date by Window
9H: 30 Mins. Chrono

Cal. 8371C
(Old Ref.: 8371/2220)
10 Hours Chrono



Height 5.50mm

3H: Small Second
4.5H: Date by Window
6H: 10 Hours Chrono
9H: 30 Mins. Chrono

Cal. 8371D
(Old Ref.: 8371/2320)
1/10 Sec Chrono



Height 5.50mm

3H: Small Second
4.5H: Date by Window
6H: 1/10 Sec. Chrono
9H: 30 Mins. Chrono

ISASOLAR

SWISS MADE

SOLAR

SOLAR POWERED CENTER CHRONO

15½‴

Specifications:
Ø35.00mm

Features:
- Eye Distance from Center 8.5mm
- Center Chronograph Hand Stop-1/5 Second
- Split Time
- Pushers with Click Feeling

Cal. 8371CS

NEW 2019

10 Hours Chrono



Height 6.60mm

3H: Small Second
4.5H: Date by Window
6H: 10 Hours Chrono
9H: 30 Mins. Chrono

Cal. 8371DS

NEW 2019

1/10 Sec Chrono

Height 6.60mm

3H: Small Second
4.5H: Date by Window
6H: 1/10 Sec. Chrono
9H: 30 Mins. Chrono

SOLAR POWERED 3 HANDS DATE

10½‴

Specifications:
Ø23.30mm

Cal. 430S

NEW 2019

Height 3.15mm, 5 Jewels

ISASPECIALITY

SWISS MADE FAR EAST ASSEMBLY

24 HOURS CENTER GMT (2ND TIME ZONE) & POWER RESERVE

11½‴

Specifications:
Ø25.60mm
Metal Construction
39 Months Battery Life

Features:
- Center Hand 24 Hours GMT
- End of Life Indication

Cal. 8173A

Cal. 8173A
(Old Ref.: 8173)

Power Reserve, GMT & Alarm



Height 4.60mm, 9 Jewels

2H: Small Second
4H: Date by Window
6H: Day by Hand
10H: Power Reserve
Alarm: Center Hand 12 Hours Alarm
GMT: Center Hand 24 Hours GMT

Cal. 8173B

NEW

Power Reserve, GMT & Alarm

Height 4.60mm, 9 Jewels

6H: Date by Window
10H: Power Reserve
Alarm: Center Hand 12 Hours Alarm
GMT: Center Hand 24 Hours GMT

Cal. 8176A
(Old Ref.: 8176/1990)

GMT & Alarm



Height 4.60mm, 9 Jewels

2H: Small Second
6H: Date by Window
Alarm: Center Hand 12 Hours Alarm
GMT: Center Hand 24 Hours GMT

Cal. 8176B
(Old Ref.: 8176/2050)

GMT

Height 3.70mm, 3 Jewels

2H: Small Second
6H: Date by Window
GMT: Center Hand 24 Hours GMT

Cal. 8176C
(Old Ref.: 8176/2330)

GMT & Alarm

Height 4.60mm, 9 Jewels

3H: Date by Window
Alarm: Center Hand 12 Hours Alarm
GMT: Center Hand 24 Hours GMT

Cal. 8176G

NEW

GMT & Alarm

Height 4.60mm, 9 Jewels

3H: Date by Window
6H: Day by Hand
Alarm: Center Hand 12 Hours Alarm
GMT: Center Hand 24 Hours GMT

Cal. 8176H

NEW

GMT

Height 3.70mm, 3 Jewels

6H: Date by Hand
GMT: Center Hand 24 Hours GMT

Cal. 8176I

NEW

GMT & Moon Phase

Height 3.70mm, 3 Jewels

3H: Date by Window
6H: Moon Phase
GMT: Center Hand 24 Hours GMT

ISASPECIALITY

SWISS MADE FAR EAST ASSEMBLY

10½‴

WITH PUSHER

Specifications:

Ø23.30mm

32 Months Battery Life (Far East)
67 Months Battery Life (Swiss Made)

Cal. 9238A3
(Old Ref.: 9238/1972 or 9238/1973)

Height 4.13mm

3H: Date by Hand
6H: Dual Time
9H: Day by Hand

Cal. 9238A2
(Old Ref.: 9238/1970 or 9238/1971)

Height 4.13mm

3H: Date by Hand
6H: Dual Time
9H: Day by Hand

Cal. 9238D1
(Old Ref.: 9231/1890)

Height 4.13mm

3H: Date by Hand
9H: Day by Hand

Cal. 9238F2
(Old Ref.: 9238/1960)

Height 4.13mm

3H: Date by Hand
6H: Dual Time

Cal. 9238H1
(Old Ref.: 9238/1980)

Height 4.13mm

6H: Dual Time

Cal. 9238I1
(Old Ref.: 9231/1430)

Height 4.13mm

3H: Date by Hand

WITHOUT PUSHER

Specifications:

Ø23.30mm

32 Months Battery Life



Cal. 9238A0

Height 4.13mm

3H: Date by Hand
6H: 24 Hours
9H: Day by Hand

Cal. 9238D0

Height 4.13mm

3H: Date by Hand
9H: Day by Hand

Cal. 9238F0

Height 4.13mm

3H: Date by Hand
6H: 24 Hours

Cal. 9238G0

Height 4.13mm

6H: 24 Hours
9H: Day by Hand

Cal. 9238H0

Height 4.13mm

6H: 24 Hours

Cal. 9238I0

Height 4.13mm

3H: Date by Hand

Cal. 9238J0

Height 4.13mm

9H: Day by Hand

13¼‴

WITH PUSHER

Specifications:
Ø30.60mm
31 Months Battery Life (Far East)
48 to 67 Months Battery Life (Swiss Made)

Features:
- Eye Distance from Center as Far as 9.0mm
- Strong Motor

Cal. 9239M2

Height 4.20mm

3H: Date by Hand
6H: Dual Time / Day & Night
9H: Day by Hand

Cal. 9239A2

Height 4.20mm

3H: Date by Hand
6H: Dual Time
9H: Day by Hand

Cal. 9239D1

Height 4.20mm

3H: Date by Hand
9H: Day by Hand

Cal. 9239F2

Height 4.20mm

3H: Date by Hand
6H: Dual Time

Cal. 9239H1

Height 4.20mm

6H: Dual Time

Cal. 9239I1

Height 4.20mm

3H: Date by Hand

WITHOUT PUSHER

Specifications:
Ø30.60mm
31 Months Battery Life

Features:
- Eye Distance from Center as Far as 9.0mm
- Strong Motor

Cal. 9239A0

Height 4.20mm

3H: Date by Hand
6H: 24 Hours
9H: Day by Hand

Cal. 9239D0

Height 4.20mm

3H: Date by Hand
9H: Day by Hand

Cal. 9239F0

Height 4.20mm

3H: Date by Hand
6H: 24 Hours

Cal. 9239G0

Height 4.20mm

6H: 24 Hours
9H: Day by Hand

Cal. 9239H0

Height 4.20mm

6H: 24 Hours

Cal. 9239I0

Height 4.20mm

3H: Date by Hand

Cal. 9239J0

Height 4.20mm

9H: Day by Hand

ISASPECIALITY

FAR EAST ASSEMBLY

WITH PUSHERS

10½‴

Specifications:
Ø23.30mm
32 Months Battery Life

Cal. 9232A2

NO PUSHER

10½‴

Specifications:
Ø23.30mm
32 Months Battery Life

Cal. 9232A2
(Old Ref.: 9232/1920)



Height 4.13mm

3H: Date by Window
6H: Dual Time
9H: Day by Hand
12H: Month by Hand

Cal 9232B2
(Old Ref.: 9232/1930)



Height 4.13mm

3H: Date by Window
6H: Dual Time
12H: Month by Hand

Cal. 9232A0

NEW



Height 4.13mm

3H: Date by Window
6H: 24 Hours
9H: Day by Hand

Cal. 9232B0

Height 4.13mm

3H: Date by Window
6H: 24 Hours
12H: Month by Hand

Cal 9232C0

Height 4.13mm

3H: Date by Window
6H: 24 Hours

Cal. 9232D0

Height 4.13mm

3H: Date by Window
9H: Day by Hand

Cal. 9232E0

Height 4.13mm

3H: Date by Window
6H: 24 Hours
9H: Day by Hand

ISASPECIALITY

SWISS MADE FAR EAST ASSEMBLY

MULTIFUNCTION

WITH PUSHER

13¼‴

Specifications:
Ø30.60mm
48 Months Battery Life

Features:
- Eye Distance from Center as Far as 9.0mm
- Strong Motor

SUN & MOON

10½‴

Specifications:
Ø23.30mm
32 Months Battery Life

Cal. 9230M1
(Old Ref.: 9230/0005)



Height 4.20mm

3H: Date by Window
6H: Dual Time / Day & Night
9H: Day by Hand
12H: 24 Hours

Cal. 9230D0

NEW

Height 4.20mm

3H: Date by Window
9H: Day by Hand

Cal. 9231C1
(Old Ref.: 9231/1900)

Height 4.13mm

3H: Date by Hand
6H: Sun & Moon
9H: Day by Hand

Cal. 9231K0
(Old Ref.: 9231/1910)

Height 4.13mm

6H: Sun & Moon

ISADIGIT

SWISS MADE FAR EAST ASSEMBLY

ANADIGIT

SYNCHRONIZED ANADIGIT

14'''

Features:

- Digital 1/100 Sec. Chrono
- Split Time
- Dual Time
- Alarm
- End of Life Indication
- Positive or Negative LCD
- Back Light
- Customized Functions

Cal. 9516A

Cal. 9350A

Cal. 9012A

(Old Ref.: 9012/7000)

Compass



Specifications:
Ø31.80mm
H 6.20mm
39 Months Battery Life

- Compass
- Voyager
- Date
- Alarm
- Digital 1/100 Sec. Chrono
- Dual Time

Cal. 9013A

(Old Ref.: 9013/7000)

World Time Chronograph

Specifications:
Ø31.80mm
H 6.20mm
36 Months Battery Life

- World Time
- Summer Time
- Voyager
- Day Date
- Alarm
- Digital 1/100 Sec. Chrono
- Dual Time

Cal. 9350A

(Old Ref.: 9350/7300)

Trekking

Specifications:
Ø31.80mm
H 7.10mm
36 Months Battery Life

- Altimeter
- Barometer
- Compass
- Thermometer
- Voyager
- Day Date
- Alarm
- Digital 1/100 Sec. Chrono
- Dual Time

Cal. 9516A

(Old Ref.: 9516/3030)

Chronograph

Specifications:
Ø32.60mm
H 7.30mm
50 Months Battery Life

- Day Date
- Alarm
- Digital 1/100 Sec. Chrono
- Dual Time

ISASPORT

SWISS MADE FAR EAST ASSEMBLY

SPORTS

11½‴

Specifications:
Ø25.60mm
H 4.60mm
9 Jewels
Metal Construction
39 Months Battery Life, EOL

Yacht Timer Functions:
- 10 Minutes Preparation Time Count Down
- 96 Hours Race Time Chronograph
- Center Hand Stop-Minute
- 60 Seconds and 24 Hours Counter

Football Timer Functions:
- 45 Minutes Regular Time Count Down
- 15 Minutes Extra Time Count Down
- 7.5 Mins. Additional Time Chronograph
- Center Hand Stop-Minute
- 60 Seconds Counter

Cal. 8270B
(Old Ref.: 8270/2300)

Yacht Timer

2H: Small Second
6H: Date by Window
10H: 60 Sec. Timer /
60 Sec. Chrono /
96 Hrs. Chrono

Cal. 8270D

Yacht Timer

NEW



2H: Small Second
4H: Date by Window
6H: Day by Hand
10H: 60 Sec. Timer /
60 Sec. Chrono /
96 Hrs. Chrono

Cal. 8270E

Yacht Timer

NEW



6H: Date by Window
10H: 60 Sec. Timer /
60 Sec. Chrono /
96 Hrs. Chrono

Cal. 8271A
(Old Ref.: 8271)

Football Timer

2H: Small Second
6H: Date by Window
10H: 60 Sec. Chrono

Tide Indicator Functions:

- Suitable for Semi-diurnal tides
- Center Hand Tide Level Indicator
- Tide Intensity Counter

Cal. 8272A

Cal. 8271D

NEW

2H: Small Second
4H: Date by Window
6H: Day by Hand
10H: 60 Sec. Chrono

Cal. 8271E

NEW

6H: Date by Window
10H: 60 Sec. Chrono

Cal. 8272A

(Old Ref.: 8272)



2H: Small Second
6H: Date by Window
10H: Moon Phases by Hand

Cal. 8272D

NEW



2H: Small Second
4H: Date by Window
6H: Day by Hand
10H: Moon Phases by Hand

Cal. 8272E

NEW



6H: Date by Window
10H: Moon Phases by Hand

ISATRONIC

SWISS MADE

SLIM

5½‴

CAL. 257A
(Old Ref.: 257/1320)

2 HANDS NO CROWN
13.00 x 15.15mm
H 2.75mm
2 Jewels
Metal Gold Plating
***Case Back Electronic Time Setting**
60 Months Battery Life (theoretical)

No Crown

CAL. 257B
(Old Ref.: 257/130)

2 HANDS
13.00 x 15.15mm
H 2.50mm
2 Jewels
Metal Gold Plating
60 Months Battery Life (theoretical)

7¾ x 5½‴

CAL. 125B
(Old Ref.: 125/1301)

2 HANDS
17.20 x 13.00 x 15.50mm
H 1.40mm
8 Jewels
Metal Gold Plating
60 Months Battery Life (theoretical)

7¾‴

CAL. 127B
(Old Ref.: 127/1301)

2 HANDS
ø17.20mm
H 1.40mm
8 Jewels
Metal Gold Plating
60 Months Battery Life (theoretical)

CAL. 222B
(Old Ref.: 222/130)

2 HANDS
ø17.20mm
H 1.60mm
6 Jewels
Metal Gold Plating
52 Months Battery Life (theoretical)

CAL. 222E
(Old Ref.: 222/1332)

2 HANDS WITH DATE
ø17.20mm
H 1.90mm
6 Jewels
Metal Gold Plating
52 Months Battery Life (theoretical)

10½‴

CAL. 220B
(Old Ref.: 220/130)

2 HANDS
ø23.30mm
H 1.60mm
6 Jewels
Metal Gold Plating
52 Months Battery Life (theoretical)

CAL. 220E
(Old Ref.: 220/1332)

2 HANDS WITH DATE
ø23.30mm
H 1.90mm
6 Jewels
Metal Gold Plating
52 Months Battery Life (theoretical)

CAL. 220F
(Old Ref.: 230/103)

3 HANDS WITH DATE
ø23.30mm
H 1.90mm
6 Jewels
Metal Gold Plating
EOL
40 Months Battery Life (theoretical)

ISAQUARTZ

SWISS MADE FAR EAST ASSEMBLY

BASIC

6¾'''

Cal. K62A
(Old Ref.: K62/132)

2 HANDS NO CROWN
15.30 x 17.80mm
H 2.85mm
Metal Heart
*Case Back Electronic Time Setting
78 Months Battery Life (theoretical)

No Crown

Cal. 336D
(Old Ref.: 336/168)

SMALL SECOND
15.30 x 17.80mm
H 2.50mm
5 Jewels
Metal Heart
EOL
44 Months Battery Life (theoretical)

13'''

Cal. 1198I
(Old Ref.: 1198/105)

3 HANDS WITH DAY DATE
ø29.00mm
H 4.10mm
1 Jewels
Metal
38 Months Battery Life (theoretical)

8¾'''

Cal. 438C

3 HANDS
ø19.40mm
H 2.50mm
5 Jewels
Metal Heart
EOL
42 Months Battery Life (theoretical)

NEW

Cal. 438F

3 HANDS WITH DATE
ø19.40mm
H 2.50mm
5 Jewels
Metal Heart
EOL
42 Months Battery Life (theoretical)

NEW

Cal. K83F
(Old Ref.: K83/103)

3 HANDS WITH DATE
ø19.40mm
H 3.25mm
Metal Heart
42 Months Battery Life (SM, theoretical)
35 Months Battery Life (FE, theoretical)

14¾'''

Cal. 2334F
(Old Ref.: 2334/1035)

3 HANDS WITH DATE
ø32.60mm
H 3.00mm
Synthetic
40 Months Battery Life (theoretical)
Strong Motor

Big Date or Big Big Date Available

10½'''

Cal. 430C

3 HANDS
ø23.30mm / H 2.50mm
5 Jewels
Metal Heart
EOL
60 Months Battery Life (theoretical)

NEW

Cal. 430F

3 HANDS WITH DATE
ø23.30mm / H 2.50mm
5 Jewels
Metal Heart
EOL
60 Months Battery Life (theoretical)

Big Date Available

NEW

Cal. 2330F
(Old Ref.: 2330/103)

3 HANDS WITH DATE
ø23.30mm / H 2.95mm
Synthetic
67 Months Battery Life (SM, theoretical)
32 Months Battery Life (FE, theoretical)

Big Date Available

11½'''

Cal. 431C

3 HANDS
ø25.60mm / H 2.50mm
5 Jewels
Metal Heart
EOL
60 Months Battery Life (theoretical)

NEW

Cal. 431F

3 HANDS WITH DATE
ø25.60mm / H 2.50mm
5 Jewels
Metal Heart
EOL
60 Months Battery Life (theoretical)

Big Date Available

NEW

Cal. 2331F
(Old Ref.: 2330/103)

3 HANDS WITH DATE
ø25.60mm / H 2.95mm
Synthetic
67 Months Battery Life (SM, theoretical)
32 Months Battery Life (FE, theoretical)

Big Date Available

Optional Hand Height Information

CHRONOGRAPH

8171 Series		
N°2 (Standard)	N°4	N°5
		

8172A		
N°2 (Standard)	N°3	N°4
		

24 HOURS CENTER GMT

8176B / 8176H / 8176I		
N°2 (Standard)	N°4	N°5
		

MULTIFUNCTION

9231 / 9232 Series	
N°2 (Standard)	N°3
	

9238 Series	
N°2 (Standard)	N°3
	

9239 Series	
N°2 (Standard)	N°3
	

Unit: 1/100mm

ANADIGIT

Anadigit Series			
N°1	N°2 (Standard)	N°4 (9012A / 9013A)	N°4 (9350A Only)
			

SPORT

8270 / 8271 / 8272	
N°2 (Standard)	N°4 Special
	

ELECTRONIC SETTING NO CROWN

257A / K62A				
N°1 (257A Only)	N°2 (Standard)	N°4	N°6 (257A Only)	N°9 (257A Only)
				

3 HANDS DATE WITH STRONG MOTOR

2334F		
N°2 (Standard)	Hybrid N°2	N°3
		

Optional Hand Height information of Slim and Basic movements is available at our website below:

www.isaswiss.com

This page is for quick reference only, please always check the latest technical drawings at our website.

Movement - Standard Versions

Family	Calibre	Versions	Appearance	Size	Mov't Height (mm)	Stem Height (mm)	Standard Hand Height	Optional Hand Height	Battery Cover	Jewel	Finishing	Battery	Battery Life (Month) (Theoretical)
ISA SPECIALITY CHRONOGRAPHS	8171A			11½'''	3.70	1.60	AIG 2	Available	CC	3	Metal	399(SR927SW)	57
	8171B			11½'''	3.70	1.60	AIG 2	Available	CC	3	Metal	399(SR927SW)	57
	8171C			11½'''	3.70	1.60	AIG 2	Available	CC	3	Metal	399(SR927SW)	57
	8171D			11½'''	3.70	1.60	AIG 2	Available	CC	3	Metal	399(SR927SW)	57
	8171E			11½'''	3.70	1.60	AIG 2	Available	CC	3	Metal	399(SR927SW)	57
	8172A			11½'''	4.20	2.05	AIG 2	Available	CC	3	Metal	399(SR927SW)	57
	8174A			11½'''	4.60	2.25	AIG 2	Upon Request	CC	9	Metal	399(SR927SW)	57
	8371B			13¼'''	5.50	1.75	AIG 2	Upon Request	CC	0	Metal	394(SR936SW)	64
	8371C			13¼'''	5.50	1.75	AIG 2	Upon Request	CC	0	Metal	394(SR936SW)	64
	8371D			13¼'''	5.50	1.75	AIG 2	Upon Request	CC	0	Metal	394(SR936SW)	64
ISA SOLAR	8371CS			15¼'''	6.60	2.32	AIG 2	Upon Request	CC	0	Metal	MT920	
	8371DS			15¼'''	6.60	2.32	AIG 2	Upon Request	CC	0	Metal	MT920	
	430S			10½'''	3.15	1.70	AIG Z	Upon Request	SC	5	Metal Heart	MT920	
ISA SPECIALITY MULTIFUNCTION	8173A			11½'''	4.60	2.25	AIG 2	Upon Request	CC	9	Metal	399(SR927SW)	39
	8173B			11½'''	4.60	2.25	AIG 2	Upon Request	CC	9	Metal	399(SR927SW)	39
	8176A			11½'''	4.60	2.25	AIG 2	Upon Request	CC	9	Metal	399(SR927SW)	39
	8176B			11½'''	3.70	1.60	AIG 2	Available	CC	3	Metal	399(SR927SW)	39
	8176C			11½'''	4.60	2.25	AIG 2	Upon Request	CC	9	Metal	399(SR927SW)	39
	8176G			11½'''	4.60	2.25	AIG 2	Upon Request	CC	9	Metal	399(SR927SW)	39
	8176H			11½'''	3.70	1.60	AIG 2	Available	CC	3	Metal	399(SR927SW)	39
	8176I			11½'''	3.70	1.60	AIG 2	Available	CC	3	Metal	399(SR927SW)	39
	9238A3			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	67(SM) / 32(FE)
	9238A2			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	67(SM) / 32(FE)
	9238D1			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9238F2			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9238H1			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9238I1			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9238A0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9238D0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9238F0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9238G0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9238H0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9238I0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9238J0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9239M2			13¼'''	4.20	2.25	AIG 2	Upon Request	SC	0	Synthetic	371(SR920SW)	48
	9239A2			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	48(SM) / 32(FE)
	9239D1			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9239F2			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9239H1			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9239I1			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9239A0			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9239D0			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9239F0			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9239G0			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9239H0			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9239I0			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9239J0			13¼'''	4.20	2.25	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32

SWISS MADE FAR EAST ASSEMBLY

Family	Calibre	Versions	Appearance	Size	Mov't Height (mm)	Stem Height (mm)	Standard Hand Height	Optional Hand Height	Battery Cover	Jewel	Finishing	Battery	Battery Life (Month) (Theoretical)
ISA SPECIALITY	9232A2			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
MULTIFUNCTION	9232B2			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9232A0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9232B0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9232C0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9232D0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9232E0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9230M1			13¼'''	4.20	2.25	AIG 2	Upon Request	SC	0	Synthetic	371(SR920SW)	48
	9230D0			13¼'''	4.20	2.25	AIG 2	Upon Request	SC	0	Synthetic	371(SR920SW)	48
	9231C1			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
	9231K0			10½'''	4.13	2.18	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	32
ISA DIGIT	9012A			14'''	6.20	3.05	AIG 2	Available	CC	0	Positive / Negative LCD	CR2016	39
	9013A			14'''	6.20	3.05	AIG 2	Available	CC	0	Positive / Negative LCD	CR2016	36
	9350A			14'''	7.10	3.05	AIG 4	Available	CC	0	Positive / Negative LCD	CR2025	36
	9516A			14'''	7.30	2.00	AIG 2	Upon Request	CC	0	Positive / Negative LCD	CR2025	50
ISA SPORT	8270B			11½'''	4.60	2.25	AIG 2	Available	CC	9	Metal	399(SR927SW)	39
	8270D			11½'''	4.60	2.25	AIG 2	Available	CC	9	Metal	399(SR927SW)	39
	8270E			11½'''	4.60	2.25	AIG 2	Available	CC	9	Metal	399(SR927SW)	39
	8271A			11½'''	4.60	2.25	AIG 2	Available	CC	9	Metal	399(SR927SW)	39
	8271D			11½'''	4.60	2.25	AIG 2	Available	CC	9	Metal	399(SR927SW)	39
	8271E			11½'''	4.60	2.25	AIG 2	Available	CC	9	Metal	399(SR927SW)	39
	8272A			11½'''	4.60	2.25	AIG 2	Available	CC	9	Metal	399(SR927SW)	39
	8272D			11½'''	4.60	2.25	AIG 2	Available	CC	9	Metal	399(SR927SW)	39
	8272E			11½'''	4.60	2.25	AIG 2	Available	CC	9	Metal	399(SR927SW)	39
ISA TRONIC	257A			5½ x 6¾'''	2.75	Electronic Setting	AIG 2	Available	CC	2	Metal Gold Plating	321(SR616SW)	60
2 HANDS	257B			5½ x 6¾'''	2.50	1.00	AIG 2	Available	CC	2	Metal Gold Plating	321(SR616SW)	60
	125B			7¾ x 5½'''	1.40	0.60	AIG 2	Available	SC	8	Metal Gold Plating	341(SR714SW)	60
	127B			7¾'''	1.40	0.60	AIG 2	Available	SC	8	Metal Gold Plating	341(SR714SW)	60
	222B			7¾'''	1.60	0.70	AIG 2	Available	SC	6	Metal Gold Plating	321(SR616SW)	52
	220B			10½'''	1.60	0.70	AIG 2	Available	SC	6	Metal Gold Plating	315(SR716SW)	52
2 HANDS DATE	222E			7¾'''	1.90	1.00	AIG 2	Available	SC	6	Metal Gold Plating	321(SR616SW)	52
	220E			10½'''	1.90	1.00	AIG 2	Available	SC	6	Metal Gold Plating	315(SR716SW)	52
3 HANDS DATE	220F			10½'''	1.90	1.00	AIG 2	Available	SC	6	Metal Gold Plating	315(SR716SW)	40
ISA QUARTZ	K62A			6¾ x 8'''	2.85	Electronic Setting	AIG 2	Available	CC	0	Metal Heart	364(SR621SW)	78
2 HANDS	336D			6¾ x 8'''	2.50	1.00	AIG 2	Available	SC	5	Metal Heart	377(SR626SW)	44
3 HANDS	438C			8¾'''	2.50	1.00	AIG 2	Available	SC	5	Metal Heart	362(SR721SW)	44
	430C			10½'''	2.50	1.00	AIG 2	Available	SC	5	Metal Heart	371(SR920SW)	60
	431C			11½'''	2.50	1.00	AIG 2	Available	SC	5	Metal Heart	371(SR920SW)	60
3 HANDS DATE	438F			8¾'''	2.50	1.00	AIG 2	Available	SC	5	Metal Heart	362(SR721SW)	44
	K83F			8¾'''	3.25	1.00	AIG 2	Available	CC	0	Metal Heart	362(SR721SW)	42
	430F			10½'''	2.50	1.00	AIG 2	Available	SC	5	Metal Heart	371(SR920SW)	60
	2330F			10½'''	2.95	1.00	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	66
	431F			11½'''	2.50	1.00	AIG 2	Available	SC	5	Metal Heart	371(SR920SW)	60
	2331F			11½'''	2.95	1.00	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	66
	2334F			14¾'''	3.00	1.05	AIG 2	Available	SC	0	Synthetic	371(SR920SW)	40
DAY DATE	1198I			13'''	4.10	2.60	AIG 2	Upon Request	CC	1	Metal	399(SR927SW)	38

Standard Colour of Date Disc and Day Disc are White Background and Black Figures, with Rectangular Window.

Special versions: Price on reques Conformity with RoHS standard.

CC = cover clamp SC = side clamp

Version : May 2018

ISASWISS SA
Champ-Nauger 2, CH-2416 Les Brenets, Switzerland
Tel: +41(0) 32 930 80 85 Fax: +41(0) 32 930 80 86
E-mail: contact@isaswiss.com

ISASWISS LIMITED
Unit F, 20/F., Blk. 2, Vigor Industrial Bldg., 49-53 Tai Chuen Ping St., Kwai Chung, N.T., Hong Kong
Tel: +852 2168 3388 Fax: +852 2552 3181
E-mail: sales@isaswiss.com.hk

www.isaswiss.com