



100
pcs

MSA	Longueur/Length mm	Kg
46.278-04	4	0.002
46.278-06	6	0.003
46.278-08	8	0.003
46.278-10	10	0.004
46.278-12	12	0.004
46.278-14	14	0.005
46.278-15	15	0.005
46.278-16	16	0.006
46.278-17	17	0.006
46.278-18	18	0.007
46.278-19	19	0.007
46.278-20	20	0.007
46.278-21	21	0.007
46.278-22	22	0.007
46.278-23	23	0.008
46.278-24	24	0.009
46.278-25	25	0.009
46.278-26	26	0.009
46.278-27	27	0.009
46.278-28	28	0.009
46.278-29	29	0.010
46.278-30	30	0.011

Goupilles fendues ; acier inoxydable.

Open-end pins ; stainless steel.

Splinte Stiften ; Edelstahl.


Grupillas hendidas ; acero inoxidable.

Copiglie spaccate ; acciaio inossidabile.

Cavilhas rachadas ; aço inoxidável.

10
pcs

MSA	Longueur/Length mm	Kg
46.288-04	4	0.001
46.288-06	6	0.001
46.288-08	8	0.001
46.288-10	10	0.001
46.288-12	12	0.001
46.288-14	14	0.001
46.288-15	15	0.001
46.288-16	16	0.001
46.288-17	17	0.001
46.288-18	18	0.001
46.288-19	19	0.001
46.288-20	20	0.001
46.288-21	21	0.001
46.288-22	22	0.001
46.288-23	23	0.001
46.288-24	24	0.001
46.288-25	25	0.001
46.288-26	26	0.001
46.288-27	27	0.001
46.288-28	28	0.001
46.288-29	29	0.001
46.288-30	30	0.001



MSA	Qt.	Kg
99.223	200x	0.034

Ø 0.70 mm



Assortiment de goupilles fendues ; acier inoxydable.

Assortment of open-end pins ; stainless steel.


Sortiment von splinte Stiften ; Edelstahl.

Surtido de grupillas hendidas ; acero inoxidable.

Assortimento di copiglie spaccate ; acciaio inossidabile.

Sortido de cavilhas rachadas ; aço inoxidável.

Contenu - Contents - Inhalt - Contenido - Contenuto - Conteúdo :
11 modèles - models - Modelle - modelos - modelli - modelos
10x MSA46.278-06 /-08 /-10 /-15 /-19 /-20
20x MSA46.278-12
30x MSA46.278-14 /-16 /-17 /-18



MSA	Qt.	Kg
99.224	100x	0.036

Ø 0.70 mm



Assortiment de goupilles fendues ; acier inoxydable.

Assortment of open-end pins ; stainless steel.

Sortiment von splinte Stiften ; Edelstahl.

Surtido de grupillas hendidas ; acero inoxidable.

Assortimento di copiglie spaccate ; acciaio inossidabile.

Sortido de cavilhas rachadas ; aço inoxidável.

Contenu - Contents - Inhalt - Contenido - Contenuto - Conteúdo :
10 modèles - models - Modelle - modelos - modelli - modelos
10x MSA46.278-21 /-22 /-23 /-24 /-25 /-26 /-27 /-28 /-29 /-30



100
pcs

MSA	Longueur/Length mm	Kg
46.279-04	4	0.003
46.279-06	6	0.004
46.279-08	8	0.004
46.279-10	10	0.005
46.279-12	12	0.005
46.279-14	14	0.006
46.279-15	15	0.006
46.279-16	16	0.007
46.279-17	17	0.007
46.279-18	18	0.008
46.279-19	19	0.008
46.279-20	20	0.008
46.279-21	21	0.008
46.279-22	22	0.008
46.279-23	23	0.009
46.279-24	24	0.010
46.279-25	25	0.010
46.279-26	26	0.010
46.279-27	27	0.010
46.279-28	28	0.010
46.279-29	29	0.011
46.279-30	30	0.012

Goupilles fendues ; acier inoxydable.

Open-end pins ; stainless steel.

Splinte Stiften ; Edelstahl.

Grupillas hendidas ; acero inoxidable.

Copiglie spaccate ; acciaio inossidabile.


Cavilhas rachadas ; aço inoxidável.

10
pcs

MSA	Longueur/Length mm	Kg
46.289-04	4	0.001
46.289-06	6	0.001
46.289-08	8	0.001
46.289-10	10	0.001
46.289-12	12	0.001
46.289-14	14	0.001
46.289-15	15	0.001
46.289-16	16	0.001
46.289-17	17	0.001
46.289-18	18	0.001
46.289-19	19	0.001
46.289-20	20	0.002
46.289-21	21	0.002
46.289-22	22	0.002
46.289-23	23	0.002
46.289-24	24	0.002
46.289-25	25	0.002
46.289-26	26	0.002
46.289-27	27	0.002
46.289-28	28	0.002
46.289-29	29	0.002
46.289-30	30	0.002



MSA	Qt.	Kg
99.137	200x	0.040



Assortiment de goupilles fendues ; acier inoxydable.

Assortment of open-end pins ; stainless steel.

Sortiment von splinte Stiften ; Edelstahl.

Surtido de grupillas hendidas ; acero inoxidable.


Assortimento di copiglie spaccate ; acciaio inossidabile.

Sortido de cavilhas rachadas ; aço inoxidável.

Contenu - Contents - Inhalt - Contenido - Contenuto - Conteúdo :
11 modèles - models - Modelle - modelos - modelli - modelos
10x MSA46.279-06 /-08 /-10 /-15 /-19 /-20
20x MSA46.279-12
30x MSA46.279-14 /-16 /-17 /-18



MSA	Qt.	Kg
99.145	100x	0.035



Assortiment de goupilles fendues ; acier inoxydable.

Assortment of open-end pins ; stainless steel.

Sortiment von splinte Stiften ; Edelstahl.

Surtido de grupillas hendidas ; acero inoxidable.

Assortimento di copiglie spaccate ; acciaio inossidabile.

Sortido de cavilhas rachadas ; aço inoxidável.

Contenu - Contents - Inhalt - Contenido - Contenuto - Conteúdo :
10 modèles - models - Modelle - modelos - modelli - modelos
10x MSA46.279-21 /-22 /-23 /-24 /-25 /-26 /-27 /-28 /-29 /-30



Ø 0.90 mm

100
pcs

MSA	Longueur/Length mm	Kg
46.280-04	4	0.003
46.280-06	6	0.004
46.280-08	8	0.004
46.280-10	10	0.005
46.280-12	12	0.005
46.280-14	14	0.006
46.280-15	15	0.006
46.280-16	16	0.007
46.280-17	17	0.007
46.280-18	18	0.008
46.280-19	19	0.008
46.280-20	20	0.008
46.280-21	21	0.008
46.280-22	22	0.008
46.280-23	23	0.009
46.280-24	24	0.010
46.280-25	25	0.010
46.280-26	26	0.010
46.280-27	27	0.010
46.280-28	28	0.010
46.280-29	29	0.011
46.280-30	30	0.012

Goupilles fendues; acier inoxydable.

Open-end pins; stainless steel.

Splinte Stiften; Edelstahl.


Grupillas hendidas; acero inoxidable.

Copiglie spaccate; acciaio inossidabile.

Cavilhas rachadas; aço inoxidável.

10
pcs

MSA	Longueur/Length mm	Kg
46.290-04	4	0.001
46.290-06	6	0.001
46.290-08	8	0.001
46.290-10	10	0.001
46.290-12	12	0.001
46.290-14	14	0.001
46.290-15	15	0.001
46.290-16	16	0.001
46.290-17	17	0.001
46.290-18	18	0.001
46.290-19	19	0.001
46.290-20	20	0.002
46.290-21	21	0.002
46.290-22	22	0.002
46.290-23	23	0.002
46.290-24	24	0.002
46.290-25	25	0.002
46.290-26	26	0.002
46.290-27	27	0.002
46.290-28	28	0.002
46.290-29	29	0.002
46.290-30	30	0.002



MSA	Qt.	Kg
99.048	200x	0.041

Ø 0.90 mm



Assortiment de goupilles fendues; acier inoxydable.

Assortment of open-end pins; stainless steel.


Sortiment von splinte Stiften; Edelstahl.

Surtido de grupillas hendidas; acero inoxidable.

Assortimento di copiglie spaccate; acciaio inossidabile.

Sortido de cavilhas rachadas; aço inoxidável.

Contenu - Contents - Inhalt - Contenido - Contenuto - Conteúdo :
11 modèles - models - Modelle - modelos - modelli - modelos
10x MSA46.280-06 /-08 /-10 /-15 /-19 /-20
20x MSA46.280-12
30x MSA46.280-14 /-16 /-17 /-18



MSA	Qt.	Kg
99.146	100x	0.028

Ø 0.90 mm



Assortiment de goupilles fendues; acier inoxydable.

Assortment of open-end pins; stainless steel.

Sortiment von splinte Stiften; Edelstahl.

Surtido de grupillas hendidas; acero inoxidable.

Assortimento di copiglie spaccate; acciaio inossidabile.

Sortido de cavilhas rachadas; aço inoxidável.

Contenu - Contents - Inhalt - Contenido - Contenuto - Conteúdo :
10 modèles - models - Modelle - modelos - modelli - modelos
10x MSA46.280-21 /-22 /-23 /-24 /-25 /-26 /-27 /-28 /-29 /-30



Ø 1.00 mm

100
pcs

MSA	Longueur/Length mm	Kg
46.281-04	4	0.004
46.281-06	6	0.006
46.281-08	8	0.007
46.281-10	10	0.010
46.281-12	12	0.011
46.281-14	14	0.013
46.281-15	15	0.014
46.281-16	16	0.015
46.281-17	17	0.015
46.281-18	18	0.017
46.281-19	19	0.017
46.281-20	20	0.018
46.281-21	21	0.019
46.281-22	22	0.020
46.281-23	23	0.020
46.281-24	24	0.021
46.281-25	25	0.022
46.281-26	26	0.024
46.281-27	27	0.024
46.281-28	28	0.025
46.281-29	29	0.026
46.281-30	30	0.027

Goupilles fendues ; acier inoxydable.

Open-end pins ; stainless steel.

Splinte Stiften ; Edelstahl.


Grupillas hendidas ; acero inoxidable.

Copiglie spaccate ; acciaio inossidabile.

Cavilhas rachadas ; aço inoxidável.

10
pcs

MSA	Longueur/Length mm	Kg
46.291-04	4	0.001
46.291-06	6	0.001
46.291-08	8	0.001
46.291-10	10	0.001
46.291-12	12	0.001
46.291-14	14	0.001
46.291-15	15	0.001
46.291-16	16	0.002
46.291-17	17	0.002
46.291-18	18	0.002
46.291-19	19	0.002
46.291-20	20	0.002
46.291-21	21	0.002
46.291-22	22	0.002
46.291-23	23	0.002
46.291-24	24	0.002
46.291-25	25	0.002
46.291-26	26	0.003
46.291-27	27	0.003
46.291-28	28	0.003
46.291-29	29	0.003
46.291-30	30	0.003



MSA	Qt.	Kg
99.049	200x	0.045



Ø 1.00 mm

Assortiment de goupilles fendues ; acier inoxydable.

Assortment of open-end pins ; stainless steel.


Sortiment von splinte Stiften ; Edelstahl.

Surtido de grupillas hendidas ; acero inoxidable.

Assortimento di copiglie spaccate ; acciaio inossidabile.

Sortido de cavilhas rachadas ; aço inoxidável.

Contenu - Contents - Inhalt - Contenido - Contenuto - Conteúdo :
11 modèles - models - Modelle - modelos - modelli - modelos
10x MSA46.281-06 /-08 /-10 /-15 /-19 /-20
20x MSA46.281-12
30x MSA46.281-14 /-16 /-17 /-18



MSA	Qt.	Kg
99.147	100x	0.028



Ø 1.00 mm

Assortiment de goupilles fendues ; acier inoxydable.

Assortment of open-end pins ; stainless steel.

Sortiment von splinte Stiften ; Edelstahl.

Surtido de grupillas hendidas ; acero inoxidable.

Assortimento di copiglie spaccate ; acciaio inossidabile.

Sortido de cavilhas rachadas ; aço inoxidável.

Contenu - Contents - Inhalt - Contenido - Contenuto - Conteúdo :
10 modèles - models - Modelle - modelos - modelli - modelos
10x MSA46.281-21 /-22 /-23 /-24 /-25 /-26 /-27 /-28 /-29 /-30



Ø 1.20 mm

100
pcs

MSA	Longueur/Length mm	Kg
46.282-04	4	0.004
46.282-06	6	0.006
46.282-08	8	0.007
46.282-10	10	0.010
46.282-12	12	0.011
46.282-14	14	0.013
46.282-15	15	0.014
46.282-16	16	0.015
46.282-17	17	0.015
46.282-18	18	0.017
46.282-19	19	0.017
46.282-20	20	0.018
46.282-21	21	0.019
46.282-22	22	0.020
46.282-23	23	0.020
46.282-24	24	0.021
46.282-25	25	0.022
46.282-26	26	0.024
46.282-27	27	0.024
46.282-28	28	0.025
46.282-29	29	0.026
46.282-30	30	0.027

Goupilles fendues; acier inoxydable.

Open-end pins; stainless steel.

Splinte Stiften; Edelstahl.


Grupillas hendidas; acero inoxidable.

Copiglie spaccate; acciaio inossidabile.

Cavilhas rachadas; aço inoxidável.

10
pcs

MSA	Longueur/Length mm	Kg
46.292-04	4	0.001
46.292-06	6	0.001
46.292-08	8	0.001
46.292-10	10	0.001
46.292-12	12	0.001
46.292-14	14	0.001
46.292-15	15	0.001
46.292-16	16	0.002
46.292-17	17	0.002
46.292-18	18	0.002
46.292-19	19	0.002
46.292-20	20	0.002
46.292-21	21	0.002
46.292-22	22	0.002
46.292-23	23	0.002
46.292-24	24	0.002
46.292-25	25	0.002
46.292-26	26	0.003
46.292-27	27	0.003
46.292-28	28	0.003
46.292-29	29	0.003
46.292-30	30	0.003



MSA	Qt.	Kg
99.081	200x	0.051

Ø 1.20 mm



Assortiment de goupilles fendues; acier inoxydable.

Assortment of open-end pins; stainless steel.

Sortiment von splinte Stiften; Edelstahl.

Surtido de grupillas hendidas; acero inoxidable.

Assortimento di copiglie spaccate; acciaio inossidabile.

Sortido de cavilhas rachadas; aço inoxidável.

Contenu - Contents - Inhalt - Contenido - Contenuto - Conteúdo :
11 modèles - models - Modelle - modelos - modelli - modelos
10x MSA46.282-06 /-08 /-10 /-15 /-19 /-20
20x MSA46.282-12
30x MSA46.282-14 /-16 /-17 /-18



MSA	Qt.	Kg
99.148	100x	0.050

Ø 1.20 mm



Assortiment de goupilles fendues; acier inoxydable.

Assortment of open-end pins; stainless steel.

Sortiment von splinte Stiften; Edelstahl.

Surtido de grupillas hendidas; acero inoxidable.

Assortimento di copiglie spaccate; acciaio inossidabile.

Sortido de cavilhas rachadas; aço inoxidável.

Contenu - Contents - Inhalt - Contenido - Contenuto - Conteúdo :
10 modèles - models - Modelle - modelos - modelli - modelos
10x MSA46.282-21 /-22 /-23 /-24 /-25 /-26 /-27 /-28 /-29 /-30